

Date: 27/02/2025

**Tender for supply and installation of 20 Laptops, 4 Printers & 1 High Speed Scanner**

Dear Sir / Madam,

ICMAI Management Accounting Research Foundation [ICMAI MARF) is a section 8 companies under the Companies Act 2013 and fully owned and controlled by the Institute of Cost Accountants of India (ICMAI)- A Statutory Body set up under an Act of Parliament, to promote research, consultancy, and training. Its' clientele includes Central/State Government Ministries, Regulators, govt. organizations, Navaratnam CPSEs, and eminent private sector entities. ICMAI MARF invites sealed quotation for the following items as per the specifications given in the Annexure – I.

Sr. No	Description	Qty.
1	HP ProBook 440 35.6 cm (14) G11 Business Laptop PC AffIntel® Core™ Ultra 7 processor Windows 11 Pro 35.6 cm (14) diagonal, WUXGA display with Intel® Arc™ Graphics 16 GB DDR5-5600 RAM 1 TB SSD Solid State Drive 5MP IR camera, Spill resistant & backlit keyboard, Fingerprint reader, Military Standard Tested	10
2	HP ProBook 440 35.6 cm (14) G11 Business Laptop PC Intel® Core™ Ultra 5 processor Windows 11 Pro 35.6 cm (14) diagonal, WUXGA display with Intel® Arc™ Graphics 16 GB DDR5-5600 RAM 1 TB SSD Solid State Drive 5MP IR camera, Spill resistant & backlit keyboard, Fingerprint reader, Military Standard Tested	10
3	HP LaserJet M208dw Printer	3
4	HP LaserJet Pro 4004dw Printer	1
5	HP ScanJet Enterprise Flow 5000 S5 Sheet-feed Scanner	1

**General Instructions**

1. The bids will be submitted physically at the following address:

ICMAI Management Accounting Research Foundation [ICMAI MARF]  
The Institute of Cost Accountants of India,  
4<sup>th</sup> Floor, CMA Bhawan, 3 Institutional Area,

Lodhi Road, New Delhi - 110003

2. For any technical query on LTE, please contact Shri Jatin Bhola, Senior Officer (MARF)- Mobile +91 98187 82370, email [sol@icmairf.in](mailto:sol@icmairf.in) during the validity for receipt of quotations.
3. The last date of the submission of quotation is **09/03/2025 till 04:30 P.M.** Any bid received after the last date & time for receipt of the given in the Tender Document will be rejected.
4. Vendors should quote the rate for laptops with one-year standard warranty and for 3 years extended damage covered warranty. Tender Committee will decide the purchase of laptops with any of the quoted specifications.
5. The quotation must be valid for 30 days from the last date of the quotation.
6. The Work Order will be communicated to the successful bidder by email.
7. Taxes shall be paid as applicable and quoted by the vendor.
8. Payment will be made after successful supply and installation of items and on submission of the invoice within 7 working days.
9. The statutory tax deductions on the payment made by the Institute would be done as per the prevalent Tax laws of Government of India.
10. The bidder should sign each page of this document and attach it with the bid document.
11. The committee reserves the right to reject any quotations without assigning any reason there for.
12. Conditional / Incomplete bids shall be rejected.
13. The bid should strictly be in the format specified in the tender document.
14. Termination of Contract - In terms of Internet Leased Line (1:1), the contract with the successful bidder may be terminated by the Institute by giving 30 Days advance Notice if bidder fails to perform its obligations specified in work order or if in case the service provided is found to be unsatisfactory.
15. Dispute Resolution - In case of any dispute, parties shall resolve the dispute by mutual discussion within a period of 30 days failing which all disputes will be subject to the Jurisdiction of Delhi Court only.

**Signature of authorized signatory**

Name: **CMA Pardeep Khaneja, Joint Director & Company Secretary**

**Convener - Tender Committee**

**Documents Required**

S.No.	Details Requested	Provide Details

1.	Name of the Company/ Vendor	
2.	Year of Incorporation/ Establishment	
3.	Registered office/business address  Name of Contact Person (s)  Telephone/Mobile Number  Email	
4.	Income Tax - PAN  (Attach copy of PAN)	
5.	GST Number  (Attach copy of GSTN)	
6.	Complete Address (with Name of the Contact person, Designation, Telephone, Mobile No, Email)	
7.	Attach the brochure and complete specification of the Item quoted.	
8.	Turnover of last three consecutive years  1. The average turnover for the last three is should not be less Rs. 50 lakhs - attach proof)  2. Turnover for the last year should not be less than 30 lakhs.	
9.	RTGS & Bank Account Details	
10.	An Undertaking that the Firm has never been blacklisted by any client(s) on any reasons whatsoever.	

**Annexure – I**

**HP ProBook 440 14 inch G11 Notebook PC (A74BHPT) Ultra5/Ultra7**

HP ProBook 440 14 inch G11 Notebook PC (A74BHPT) All tech specs

Operating system	Windows 11 Pro for business
Processor family	Intel® Core™ Ultra 7 processor/ Intel® Core™ Ultra 5 processor
Processor	Intel® Core™ Ultra 7 155U (up to 4.8 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 12 cores, 14 threads) <sup>1 2</sup>
Graphics	Integrated, Intel® Graphics
Memory	16 GB DDR5-5600 MT/s (1 x 16 GB)
Memory Slots	2 SODIMM
Internal Storage	1 TB PCIe® NVMe™ SSD
Display	14" diagonal, WUXGA (1920 x 1200), IPS, narrow bezel, anti-glare, 300 nits, 45% NTSC <sup>3 4 5 6 7</sup>
Display	35.6 cm (14") diagonal, WUXGA (1920 x 1200), IPS, narrow bezel, anti-glare, 300 nits, 45% NTSC <sup>3 4 5 6 7</sup>
Touchscreen	No
Color gamut	45% NTSC
Brightness	300 nits
Dimensions (W x D x H)	31.86 x 22.44 x 1.09 cm (front); 31.86 x 22.43 x 1.7 cm (rear) (Front height measurement is near the front edge where the chassis bottom cover taper begins. Back height measurement is near the back edge where the chassis bottom cover taper ends.)
Weight	Starting at 1.39 kg (Weight will vary by configuration. Does not include power adapter.)
Battery type	HP Long Life 3-cell, 56 Wh Li-ion
Battery life	(Battery is internal and not replaceable by customer. Serviceable by warranty. Fast charging 50% in 30 minutes.)
Wireless	Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card (supporting gigabit data rate)
Product color	Pike silver
Keyboard	Spill-resistant, optional backlit keyboard with DuraKeys
Camera	1080p FHD camera
Audio	Audio by Poly Studio, dual stereo speakers with discrete

	amplifiers, integrated dual array microphones
Pointing device	Clickpad with multi-touch gesture support
Ports	2 USB Type-C® 20Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4, HP Sleep and Charge); 2 USB Type-A 5Gbps signaling rate (1 charging, 1 power); 1 HDMI 2.1; 1 stereo headphone/microphone combo jack; 1 RJ-45
Power	65 W USB Type-C™ adapter <sup>7</sup>
Fingerprint reader	Fingerprint sensor
Ecolabels	TCO Certified
Sustainable impact specifications	Low halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 20% post-consumer recycled plastic; Ocean-bound plastic in speaker enclosure and system fan; 50% recycled metal <sup>8 9 10 11 12</sup>
Manufacturer Warranty	1 year (1/1/0) limited warranty includes 1 year of parts and labor. No on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.

### **Specifications of HP LaserJet Pro 4004dw Printer**

**Print speed, black**

41 - 50

**Color output**

Black and white

Category

**Product type**

Laser printers

**Series**

LaserJet

Usage

**Recommended Usage**

Business

Features

**Functions**

Print only

Connection and Communication

**Connectivity**

Mopria™, USB

Printing Media Handling

**Finished output handling**

Sheetfed

**Output capacity**

Up to 150 sheets

**Maximum output capacity (sheets)**

Up to 150 sheets

**Media type and capacity, tray 3**

Sheets: 550

**Media type and capacity, tray 1**

Sheets: 100; envelopes: 10

**Media type and capacity, tray 2**

Sheets: 250

**Paper handling input, standard**

100-sheet multipurpose Tray 1, 250-sheet input Tray 2

**Paper handling input, optional**

Optional third 550-sheet tray

**Input capacity**

Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)

**Paper handling output, standard**

150-sheet output bin

**Standard output capacity (envelopes)**

Up to 10 envelopes

**Maximum input capacity (sheets)**

Up to 900 sheets

**Standard input capacity (envelopes)**

Up to 10

Display Specifications

**Display HP**

2-line back lit LCD graphic display

**Display area (metric)**

4.55 x 1.35 cm

Environmental

**Acoustic power note**

Configuration tested: base model, simplex printing, A4 paper at an average of 40 ipm

**Acoustic pressure emissions bystander (active, printing)**

54 dB(A)

**Operating humidity range**

10 to 80% RH

**Storage temperature range**

-20 to 40°C

**Operating temperature range**

10 to 32.5°C

**Acoustic power emissions**

6.6 B(A)

**Recommended operating temperature range**

15 to 27°C

**Acoustic power emissions (ready)**

Inaudible

**Acoustic pressure emissions bystander (ready)**

Inaudible

Cartridges and Printheads

**Technology**

Laser

**Number of print cartridges**

1 (black)

**Replacement cartridges**

HP 152A Black Original LaserJet Toner Cartridge (~3,050 pages), W1520A; HP 152X Black Original LaserJet Toner Cartridge (~9,700 pages), W1520X

**Supplies feature**

HP JetIntelligence Cartridge

Battery and Power

**Power**

110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier)

**Power Consumption**

495 watts (active printing), 5.5 watts (ready), 0.5 watts (sleep), 0.5 (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off)

**Power supply type**

Internal (built-in) Power Supply

Print Time

**First page out black (letter, ready)**

As fast as 6.1 sec

**First page out black (A4, ready)**

As fast as 6.3 sec

**First page out black (letter, sleep)**

As fast as 8.6 sec

Printer Specifications

**Storage device and direct print support**

Optional job storage via external rear host USB port (Minimum 16GB); USB printing

**Duty cycle (monthly, letter)**

Up to 80,000 pages

**Duty cycle note**

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

**Envelope feeder**

No

**Recommended monthly page volume note**

HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

**Functions**

Print

**Internal Storage**

None

**Print languages**

HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, PWG Raster

**Paper trays, maximum**

3

**Duty cycle (monthly, A4)**

Up to 80,000 pages

**Paper trays, standard**

2

**Recommended monthly page volume**

750 to 4,000

**Print technology**

Laser

**Fonts and typefaces**

84 scalable TrueType fonts

**Automatic paper sensor**

No

**Printer management**

HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator)

**Print colours**

No

**Top key features**

Two-sided printing; Fast first page out speeds; Compact Size; Energy Efficient; Strong Security

**Target user and print volume**

For teams up to 10 users; Prints up to 4,000 pages/month

Certification and Compliance

**ENERGY STAR® certified**

No

**Energy Efficiency Compliance**

CECP; SEPA; IT ECO Declaration

**Electromagnetic Emission Standard**

CISPR 32:2012 Class B / EN 55032:2012 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B

**Safety Approvals and Requirements**

IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014 / EN 62368-1:2014; IEC 60825-1:2014 / EN 60825-1:2014; IEC 62479:2010 / EN 62479:2010

**Environmental**

Recyclable through HP Planet Partners; Contains post-consumer recycled plastic

**Blue Angel compliant**

No, please refer to the ECI (Ecolabel Comparison Information) document

Box contents

**What's in the box**

Preinstalled HP Black Original LaserJet Toner Cartridge; Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP & Wireless Only)

**Cable included**



Yes, 1 USB PC to Printer (All AP & All Wireless); No, please purchase USB cable separately (EMEA-Network, NA-Network)

**What is in the box footnote number**

[2] For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

Warranty

**Warranty**

One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to [hp.com/support](http://hp.com/support) to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)

Dimensions

**Dimensions (W x D x H)**

381 x 357 x 216 mm

**Maximum dimensions (W x D x H)**

381 x 634 x 241 mm

**Dimension note (metric)**

Without trays and covers not extended

**Minimum dimensions (W x D x H)**

15 x 14.06 x 8.5 in

**Maximum dimensions (W x D x H)**

15 x 25 x 9.5 in

Weights

**Weight**

8.56 kg

Connectivity and Communications

**Connectivity, standard**

1 Hi-Speed USB 2.0

**Network capabilities**

Yes, via built-in 10/100Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X (does not apply to D bundles)

**Mobile printing capability**

USB Only

**Network protocols, supported**

TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download

Geographic

**Control panel**

2-line LCD; OK button; Left button; Right button; Cancel button; Back button; Ready LED; Error LED; Wi-Fi LED (only for wireless bundle)

Processors

**Processor speed**

1200 MHz

Memory

**Memory**

256 MB

**Memory, maximum**

256 MB

## Supported Printing Media

### **Media size, tray 3**

A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)

### **Media size, tray 1**

A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)

### **Media size, tray 2**

A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)

### **Standard media sizes (duplex)**

A4; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio

### **Media weight, supported**

Tray 1: 60 to 200 g/m<sup>2</sup>; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m<sup>2</sup>

### **Media types**

Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels

### **Media weight (tray 2)**

60 to 120 g/m<sup>2</sup>

### **Recommended media weight (duplex)**

60 to 120 g/m<sup>2</sup>

### **Media weight (tray 1)**

60 to 200 g/m<sup>2</sup>

### **Media weight (tray 3)**

60 to 120 g/m<sup>2</sup> (optional 550-sheet tray)

### **Media sizes, custom**

Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 104.9 x 148.5 to 216.9 x 356.6 mm

### **Media sizes supported, key**

4 x 6 in; Letter; Legal; Envelopes

### **Media sizes supported, key**

10 x 15 cm; A4; Envelopes

### **Media weight, supported**

Tray 1: 16 to 46.6 lb; Tray 2 and Optional 550-sheet Tray 3: 16 to 32 lb

### **Standard media sizes (duplex, imperial)**

Letter; Legal; Executive; Oficio (8.5 x 13 in)

### **Media sizes, custom**

Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 4.12 x 5.83 to 8.5 x 14 in

### **Recommended media weight (duplex)**

16 to 32 lb

### **System Requirements**

#### **Minimum System Requirements for Macintosh**

2 GB available hard drive space; Internet connection or USB port Internet browser. For additional OS hardware requirements see [apple.com](http://apple.com)

#### **Minimum System Requirements**

2 GB available hard disk space; Internet connection or USB port Internet browser. For additional OS hardware requirements see [microsoft.com](http://microsoft.com)

## **HP Scanjet Enterprise Flow 5000 s5 (6FW09A)**

HP Scanjet Enterprise Flow 5000 s5 (6FW09A) All tech specs

Scanner type	Sheetfed
Digital sending standard features	Scan to PC, Scan to USB Drive
Scan resolution, optical	Up to 600 dpi
Scan resolution, hardware	600 x 600 dpi
Duty cycle (daily)	Recommended daily duty cycle: 7500 pages
Bit depth	24-bit (external), 48-bit (internal)
Automatic document feeder scan speed	Up to 65ppm/130 ipm <sup>1</sup>
Scan size (ADF), maximum	216 x 3100 mm
Scan size (ADF), minimum	50.8 x 50.8 mm
Automatic document feeder capacity	Standard, 80 sheets
Duplex ADF scanning	Yes
Scan file format	For text and images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (.txt), Rich Text (rtf) and Searchable PDF
Scan input modes	Two scan modes (simplex/duplex) with convenient 2 x 16 character LCD on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA
Color scanning	Yes
Levels of grayscale	256
Scan technology	CMOS CIS (Contact Image Sensor)
Scanning options (ADF)	Single-pass duplex
Multifeed detection	Yes
Output resolution dpi settings	75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi
Light source (scanning)	LED
Media size (ADF)	ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in); Custom: 5.08 x 7.36 cm to 21.6 x 309.9 cm (2.0 x 2.9 in to 8.5 x 122 in)
Media types	Cut Sheet Paper; Printed Paper (Laser and ink); Pre-Punched Paper; Bank Checks; Business Cards; Freight Bills; Carbonless forms; Plastic Carrier sheets for easily damaged documents; Previously stapled media with staple removed;

Media weights, supported ADF	Plastic cards (up to 1.24 mm thickness) 43 to 350 g/m <sup>2</sup>
Scanner advanced features	Auto exposure, Auto threshold, Auto detect color, Background smooth/removal, Auto detect size, Straighten content, Enhance content, Multi-streaming, Auto feed, Multi-feed detection sensor, Advanced multi-feed detection, Auto orient, Multi-color dropout, Channel color dropout, Edge erase, Delete blank page, Merge pages, Hole fill, Digital stamps, Metadata capture, PDF permissions, Document separation (Blank page, Barcode, Zonal barcode, Zonal OCR)
Compatible Operating Systems	Microsoft® Windows® (10, 8.1, 7, XP: 32/64 bit, 2008 R2, 2012 R2, 2016, 2019); MacOS (Catalina 10.15, Mojave 10.14, High Sierra 10.13); Linux (Ubuntu, Fedora, Debian, RHEL, Linux Mint, Open Suse, Manjaro); Citrix ready
Mac compatible	Yes
Minimum System Requirements for Macintosh	macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13; 1 GB available hard disk space; Internet required; USB
Minimum System Requirements	macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13, Microsoft® Windows® 10, 8.1, 7, XP: 32/64-bit, 2008 R2, 2012 R2, 2016, 2019, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
Twain version	Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a
Processor speed	ARM-1176 666 MHz
Memory	512 MB
Software included	Windows: HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Scan Premium, HP Scanner Tools Utility, OpenText ISIS
Connectivity, standard	USB 3.0
Display	2-line 16 character per line LCD display
Power	Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use
Power supply type	External power adapter
Power consumption	4.1 watts (ready), 38 Watts (scanning), 1.3 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off) <sup>2</sup> (Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and

	void the product warranty. Energy Star value typically based on measurement of 115V device. )
Control panel	2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED, Up button, Down button and Tool button
Security management	Power button to on/off device
Operating humidity range	15 to 80% RH
Recommended operating humidity range	30% to 70% relative humidity (RH)
Operating temperature range	10 to 35°C
Recommended operating temperature range	17.5 to 25°C
Storage temperature range	-40 to 60°C
Acoustic power emissions (active, printing)	65 (dB), 6.5 (B)
Dimensions (W x D x H)	310 x 198 x 190 mm
Maximum dimensions (W x D x H)	310 x 448 x 319 mm
Weight	3.8 kg
Weight	3.8 kg
Package dimensions (W x D x H)	397 x 248 x 303 mm
Package weight	5.6 kg
Ecolabels	CECP; ENERGY STAR® 3.0 certified; EPEAT® Silver <sup>3</sup>
Energy star certified	Yes
Sustainable impact specifications	RoHS-compliant
Electromagnetic compatibility	CISPR 22:2008 & CISPR 32:2012/EN 55032:2012 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010
Safety	IEC 60950-1:2005+A1:2009+A2:2013/EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013; IEC 62479:2010/EN 62479:2010; IEC 62471:2006/EN 62471:2008
What's in the box	HP ScanJet Enterprise Flow 5000 s5; Power cord; Power adapter; USB cable; Scanner engine; Flyers; Install guide
Manufacturer Warranty	One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP world-class service and support options in your region.

**Specifications of HP LaserJet M208dw Printer**

- **Resolution** - Up to 600 dpi (color and mono, Sheet-feed)
- **Control panel** - 2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED and Tool button
- **Bit depth** - 24-bits external 48-bits internal
- **Maximum document scan size** - 8.5 x 122 in
- **Scannable media types**  
Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, previously stapled media with staple removed Plastic cards (up to 1.24mm)
- **Input type** - Sheetfed
- **Auto document feeder** - 80 sheets of Xerox 4024 75 g/m<sup>2</sup> paper
- **Connectivity** - USB 2.0 and USB 3.0 (SuperSpeed)
- **Warranty** – 1 Year Limited Warranty

**Annexure - II**

**Financial Bid Format for Laptops, Printers & Scanner**

Sr. No	Description	Qty.	Unit Price (In INR)	Taxes (18% GST)	Net (Inclusive Taxes)	Total
1	HP ProBook 440 35.6 cm (14) G11 Business Laptop PC  AffIntel® Core™ Ultra 7 processor Windows 11 Pro 35.6 cm (14) diagonal, WUXGA display with Intel® Arc™ Graphics 16 GB DDR5-5600 RAM 1 TB SSD Solid State Drive 5MP IR camera, Spill resistant & backlit keyboard, Fingerprint reader, Military Standard Tested with one year warranty and Bag.	10				
2	HP ProBook 440 35.6 cm (14) G11 Business Laptop PC  AffIntel® Core™ Ultra 7 processor Windows 11 Pro 35.6 cm (14) diagonal, WUXGA display with Intel® Arc™ Graphics 16 GB DDR5-5600 RAM 1 TB SSD Solid State Drive 5MP IR camera, Spill resistant & backlit keyboard,	10				

	Fingerprint reader, Military Standard Tested with one year warranty and Bag <b>along with 3 years damage covered warranty.</b>				
3	HP ProBook 440 35.6 cm (14) G11 Business Laptop PC AffIntel® Core™ Ultra 5 processor Windows 11 Pro 35.6 cm (14) diagonal, WUXGA display with Intel® Arc™ Graphics 16 GB DDR5-5600 RAM 1 TB SSD Solid State Drive 5MP IR camera, Spill resistant & backlit keyboard, Fingerprint reader, Military Standard Tested with one year warranty and Bag.	10			
4	HP ProBook 440 35.6 cm (14) G11 Business Laptop PC AffIntel® Core™ Ultra 5 processor Windows 11 Pro 35.6 cm (14) diagonal, WUXGA display with Intel® Arc™ Graphics 16 GB DDR5-5600 RAM 1 TB SSD Solid State Drive 5MP IR camera, Spill resistant & backlit keyboard, Fingerprint reader, Military Standard Tested with one year warranty and Bag <b>along with 3 years damage covered warranty.</b>	10			
5	HP LaserJet M208dw Printer	3			
4	HP LaserJet Pro 4004dw Printer	1			
5	HP ScanJet Enterprise Flow 5000 s5 Sheet-feed Scanner	1			
6	Installation/ Any other Charges	1			
	Total				

**Total in words (Inclusive of taxes):**

**Signature:**

**Name of the Authorized Signatory:**

**Name of the Company/Firm:**

**Contact No.:**

**Seal of the Company/Firm:**